



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.


Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com



TEA PACKING MACHINE 茶叶包装机系列

C13 袋泡茶双囊袋自动包装机 AUTOMATIC DOUBLE CHAMBER TEA BAG PACKING MACHINE

所属系列:	袋泡茶包装机
产品型号:	C13
产品名称:	袋泡茶双囊袋自动包装机
适用范围:	适用于碎茶、咖啡、人参精、保健茶、药茶等产品的双囊包装袋。
本机特点:	可自动完成制袋、充填、计量、封口、分切、计数、挂线及贴标签等功能，仅需用手工来完成扣书钉，可达到全自动机械所要求的效果。采用PLC控制系统以及智能控温系统，能有效将热封温度控制在标准范围内。
包装材料:	滤纸、棉线、标签。
主要技术参数	
计量方法:	容积法
包装容量:	3-15ml
制袋尺寸:	长150mm (80+70mm双折两袋合成双囊); 宽40mm。可制成类似“立顿”红茶的包装袋。
滤纸尺寸:	宽87mm
标签尺寸:	长20mm; 宽25mm
线 长:	155-200mm
包装速度:	20-40袋/分钟
电 源:	220V/50HZ/1.6KW
整机重量:	350KG
外型尺寸:	900*950*1800mm (长*宽*高)



Type:	Tea Bag Packing Machine Series
Product model:	C13
Product name:	Automatic Double Chamber Tea Bag Packing Machine
Purpose:	It is suitable for double chamber tea bag products packing, such as broken tea, coffee, ginseng essence, diet tea, health care tea, medicinal tea and herbal tea, etc.
Feature:	The machine can automatically complete bag-making, filling, measuring, sealing, cutting, counting, thread and tag attaching. Pins need to be stapled manually. PLC control system and automatic temperature control system are adopted, which can effectively control the sealing temperature within the standard range.
Packing Material:	Filter paper, Thread, Tag

Technical data

Measuring:	Volumetric cup filler
Filling range:	3-15ml
Bag size:	L:150mm (80 +70 mm, bi-fold double chamber bag); W:40mm. Similar to "Lipton" tea bags.
Filter paper width:	87mm
Tag Size:	L:20mm, W:25mm
Thread Length:	155-200mm
Packing speed:	20-40 bags/min
Power:	220V/50HZ/1.6KW
Weight:	350KG
Dimension (L*W*H):	900*950*1800mm



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.
Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com



TEA PACKING MACHINE 茶叶包装机系列

C16 袋泡茶内外袋包装机 TEA BAG INNER AND OUTER BAG PACKING MACHINE

所属系列:	袋泡茶包装机
产品型号:	C16
产品名称:	袋泡茶内外袋包装机
适合范围:	本机适用于茶叶、药茶、保健茶等小颗粒物的内外袋一次性包装。
本机特点:	本机是一种新型热封式，多功能全自动袋泡茶饮品包装设备。该机的主要特点是内外袋一次成型，避免了人手与物料的直接接触，提高效率。内袋为过滤棉纸，外袋为复合纸。其最大的好处在于：包装容量、内袋、外袋、等均可根据任意调整，可根据用户的不同需要来调整内外袋尺寸，以便达到最理想的包装效果，提高产品外观档次，使产品价值提升。
包装材料:	纸/塑、塑/塑、塑/塑/铝/塑、纸/铝/塑、茶叶滤纸。
主要技术参数	
外袋尺寸:	长70-120mm ; 宽60-90mm
内袋尺寸:	长50-110mm ; 宽40-80mm
包装速度:	40-60袋/分钟
包装容量:	1-15克
电 源:	220V, 50/60HZ, 4.5KW
整机重量:	400KG
外型尺寸:	1200*900*1900mm (长*宽*高)



Type:	Tea Bag Packing Machine Series
Product model:	C16
Product name:	Tea Bag Inner and Outer Bag Packing Machine
Purpose:	It is suitable for double bag packing of small granular products, such as tea leaves, medicinal tea and health care tea.
Feature:	This machine is an automatic multi-functional tea bag packaging equipment with a new heat sealing type. The inner and outer bag forming is finished at the same time, avoid direct contact with the packing material and improve working efficiency. Inner bag is made of filter paper, and outer bag is made of Composite paper. The biggest advantage is: packing capacity, inner bag and outer bag size can be easily adjusted according to different requirements in order to achieve the best packaging results, improve product appearance and enhance the value of the product.
Packing Material:	Paper/Plastic, Plastic/Plastic, Plastic/Aluminum/Plastic, Paper/Aluminum/Plastic, Tea filter paper

Technical data

Outer Bag size:	L:70-120mm , W:60-90mm
Inner Bag size:	L:50-110mm , W:40-80mm
Packing speed:	40-60 bags/min
Filling range:	1-15g
Power:	220V, 50/60HZ, 4.5KW
Weight:	400KG
Dimension (L*W*H):	1200*900*1900mm



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.
Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com

TEA PACKING MACHINE 茶叶包装机系列



C18 袋泡茶内外袋挂线挂标包装机 AUTOMATIC TEA BAG PACKING MACHINE WITH THREAD, TAG AND OUTER ENVELOPE

所属系列:	袋泡茶包装机
产品型号:	C18
产品名称:	袋泡茶内外袋挂线挂标包装机
适用范围:	本机适用于茶叶、药茶、保健茶等小颗粒物的内外袋一次性包装。
本机特点:	本机是一种新型热封式，多功能全自动袋泡茶饮品包装设备。该机的主要特点是内外袋一次成型，避免了人手与物料的直接接触，提高效率。内袋为过滤棉纸，可自动带线带标签，外袋为复合纸。其最大的好处在于：贴标和外袋均可采用光电定位，包装容量、内袋、外袋、标签等均可任意调整，可根据用户的不同需要来调整内外袋尺寸，以便达到最理想的包装效果，提高产品外观档次，使产品价值提升。
包装材料:	纸/塑、塑/塑、塑/铝/塑、纸/铝/塑、滤纸、棉线、标签纸。
主要技术参数	
包装容量:	3-15毫升
包装速度:	40-60袋/分钟
标签尺寸:	长20-24mm；宽40-55mm
线 长:	155mm
内 袋:	长50-70mm；宽40-80mm
外 袋:	长70-120mm；宽60-90mm
电 源:	220V, 50HZ, 3.7KW
外型尺寸:	1250*700*1800mm(长*宽*高)
整机重量:	500KG

Type:	Tea Bag Packing Machine Series
Product model:	C18
Product name:	Automatic Tea Bag Packing Machine with Thread, Tag and Outer Envelope
Purpose:	It is suitable for double bag packing of small granular products, such as tea leaves, medicinal tea and health care tea.
Feature:	This machine is an automatic multi-functional tea bag packaging equipment with a new heat sealing type. The inner and outer bag forming is finished at the same time, avoid direct contact with the packing material and improve working efficiency. Inner bag is made of filter paper with thread and tag attached, and outer bag is made of composite paper. The biggest advantage is: tag attaching and outer bag making can adopt photoelectric positioning. Packing capacity, inner bag and outer bag size can be easily adjusted according to different requirements in order to achieve the best packaging results, improve product appearance and enhance the value of the product.
Packing Material:	Paper/Plastic, Plastic/Plastic, Plastic/Aluminum/Plastic, Paper/Aluminum/Plastic, Tea filter paper, Thread, Tag paper.

Technical data	
Measuring:	Volumetric cup filler
Filling range:	3-15ml
Packing speed:	40-60 bags/min
Tag size:	L: 20-24mm W: 40-55mm
Thread length:	155mm
Inner Bag size:	L: 50-70mm W: 40-80mm
Outer Bag size:	L: 70-120mm W: 60-90mm
Power:	220V, 50HZ, 3.7kw
Dimension (L*W*H):	1250*700*1800mm
Weight:	500KG



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.

Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com



TEA PACKING MACHINE 茶叶包装机系列

C19 挂耳咖啡内外袋包装机 DRIP COFFEE INNER AND OUTER BAG PACKING MACHINE

所属系列:	挂耳咖啡包装机
产品型号:	C19
产品名称:	挂耳咖啡内外袋包装机
适用范围:	本机适用于茶叶、药茶、保健茶、咖啡、根径、饮片等小颗粒物的内外袋一次性包装。
本机特点:	外封纸由步进电机控制，袋长稳定、定位准确； 采用PID调节温度控制器，温度控制得更准确； 采用PLC控制整机的动作，人机界面显示，操作方便； 所有可接触物料部分为SUS304不锈钢制作，保证产品的卫生可靠； 部分工作气缸采用原装进口件，保证其工作准确与稳定。 本机附加装置可完成平口剪切、日期打印、易撕口等功能。
包装材料:	挂耳咖啡滤纸、镀铝复合膜。
主要技术参数	
包装形式:	三边封
外袋尺寸:	长85-120mm；宽75-100mm (镀铝复合膜宽200mm,制袋规格: 100x120mm)
内袋尺寸:	长50-75mm；宽50-90mm (滤纸宽180mm, 制袋规格: 90x74/70mm)
包装速度:	40-70袋/分钟
包装容量:	5-15克
电源:	单相220V, 50HZ, 3.7KW
整机重量:	400KG
外型尺寸:	1200*900*1900mm (长*宽*高)



Type:	Drip Coffee Packing Machine Series
Product model:	C19
Product name:	Drip Coffee Inner and Outer Bag Packing Machine
Purpose:	It is suitable for inner and outer bag packaging for tea leaves, herbal tea, health care tea, coffee, roots, and other small granule products.
Feature:	Outer bag sealing controlled by the stepper motor, bag length positioning is accurate and stable. Adopts PID temperature controller for more accurate temperature adjustment. Adopts PLC control system, human-machine interface, it is very easy to operate. All parts in direct contact with products are made of SUS304 stainless steel, ensuring reliable products output conforming to food sanitary standards. Some parts of the cylinder are imported, ensuring the accuracy and stability of performance. Optional devices: flat cut device, date printer, easy tear device, etc.
Packing Material:	Paper/Plastic, Plastic/Aluminum/Plastic, Paper/Aluminum/Plastic, Drip coffee filter paper

Technical data	
Bag type:	3 side sealing
Outer Bag size:	L:85 - 120mm, W:75 - 100mm (Film width 200mm, Bag size: 120*100mm)
Inner Bag size:	L:50 - 75mm, W:50 - 90mm (Filter paper width 180mm, Bag size: 90*74/70mm)
Packing speed:	40 - 70 bags/min
Filling range:	5 - 15g
Power:	Single phase, 220V, 50HZ, 3.7KW
Weight:	400KG
Dimension (L*W*H):	1200*900*1900mm



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.
Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com

TEA PACKING MACHINE 茶叶包装机系列



C20 袋泡茶尼龙三角包包装机 AUTOMATIC PYRAMID TEA BAG PACKING MACHINE

所属系列:	袋泡茶包装机
产品型号:	C20
产品名称:	袋泡茶尼龙三角包包装机
适用范围:	适用于茶叶、药茶、保健茶等小颗粒物的内外袋一次性包装。
本机特点:	尼龙三角包采用日本进口的环保尼龙、无纺布材质，是经过国家安全检验的无毒、无细菌、耐热的高质感食品级滤材，它的封口采用了独特的方法——超声波无痕封口，紧密、卫生、安全，减少了多余的封边宽度，完全不浪费一丝滤材。
包装材料:	日本进口尼龙、无纺布、绿色100%可降解的透明材料、PET、PLA。
主要技术参数	
包装容量:	1-10克/袋，误差 $\leq \pm 0.2$ 克/袋
卷材的宽度:	140、160、180 (mm)
调节范围长度:	50、60、70、80 (mm)
封切形式:	电脉冲封切法—超声波融切热封
封切装置数量:	2套
包装速度:	40-60袋/分钟
电源:	220V, 50HZ, 1.2KW
气源:	压力 ≥ 0.6 Mpa (另可以配气泵供气)
整机重量:	350KG
外形尺寸:	1200*900*1800mm(长*宽*高)

Type:	Tea Bag Packing Machine Series
Product model:	C20
Product name:	Automatic Pyramid Tea Bag Packing Machine
Purpose:	It is suitable for packing product such as loose leaf tea, herbal tea, health care tea, TieGuanYin, LongJing, DaMaoFeng, DaHongPao, rose tea, ginseng, etc.
Feature:	The packing material of the triangle bag machine is nylon, non-woven fabric material imported from Japan, which is non-toxic, no bacteria, heat-resistant high quality food grade material conforming to our national safety inspection standard. The machine uses a unique sealing method - ultrasonic. It can seal tightly, safely, reduce the width of the extra edge, avoiding any waste of packing material.
Packing Material:	Nylon material imported from Japan, Non-woven fabric, 100% biodegradable transparent material, PET, PLA.

Technical data	
Filling range:	1-10g/bag , accuracy: $\leq \pm 0.2$ g /bag
Packing roll width:	140、160、180 (mm)
Sealing Length	50、60、70、80 (mm)
Sealing method:	Sealing and cutting by ultrasonic
Quantity of sealing device	2 sets
Packing speed:	40-60bags/min
Motor power:	220V .50HZ.1.2KW
Air supply:	≥ 0.6 Mpa(can be equipped with air compressor)
weight:	350KG
Dimension(L*W*H):	1200 * 900 * 1800 mm



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.
Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com

TEA PACKING MACHINE 茶叶包装机系列



C20DWL 多物料袋泡茶尼龙三角包包装机 AUTOMATIC MULTI-MATERIAL PYRAMID TEA BAG PACKING MACHINE



所属系列:	袋泡茶包装机
产品型号:	C20DWL
产品名称:	多物料袋泡茶尼龙三角包包装机
适用范围:	适用于茶叶、药茶、保健茶、铁观音、龙井、大毛峰、武夷山大红袍、玫瑰花茶、参片等多物料的单包包装。
本机特点:	尼龙三角包采用日本进口的环保尼龙、无纺布材质，是经过国家安全检验的无毒、无细菌、耐热的高质感食品级滤材，它的封口采用了独特的方法——超声波无痕封口，紧密、卫生、安全，减少了多余的封边宽度，完全不浪费一丝滤材。
包装材料:	日本进口尼龙、无纺布、绿色100%可降解的透明材料、PET、PLA。
主要技术参数	
包装容量:	1-10克/袋, 误差 $\leq \pm 0.2$ 克/袋
卷材的宽度:	140、160、180 (mm)
调节范围长度:	50、60、70、80 (mm)
封切形式:	电脉冲封切法—超声波融切热封
封切装置数量:	2套
包装速度:	30-50袋/分钟
电源:	220V, 50HZ, 1.2KW
气源:	压力 ≥ 0.6 Mpa 另可以配气泵供气)
整机重量:	400KG
外形尺寸:	2200*900*1800mm (长*宽*高 以实际设计规格为准)

Type:	Tea Bag Packing Machine Series
Product model:	C20DWL
Product name:	Automatic Multi-material Pyramid Tea Bag Packing Machine
Purpose:	It is suitable for packing multi-material product such as loose leaf tea, herbal tea, health care tea, TieGuanYin, LongJing, DaMaoFeng, DaHongPao, rose tea, ginseng, etc.
Feature:	The packing material of the triangle bag machine is nylon, non-woven fabric material imported from Japan, which is non-toxic, no bacteria, heat-resistant high quality food grade material conforming to our national safety inspection standard. The machine uses a unique sealing method - ultrasonic. It can seal tightly, safely, reduce the width of the extra edge, avoiding any waste of packing material.
Packing Material:	Nylon material imported from Japan, Non-woven fabric, 100% biodegradable transparent material, PET, PLA.

Technical data	
Filling range:	1-10g /bag , accuracy: $\leq \pm 0.2$ g /bag
Packing roll width:	140、160、180(mm)
Sealing Length	50、60、70、80(mm)
Sealing method:	Sealing and cutting by ultrasonic
Quantity of sealing device:	2sets
Packing speed:	30-50bags/min
Motor power:	220V, 50HZ, 1.2KW
Air supply:	≥ 0.6 Mpa(can be equipped with air compressor)
weight:	400KG
Dimension: (L*W*H)	2200*900*1800 mm (for reference only, the actual dimension may be different)



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.
Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com



TEA PACKING MACHINE 茶叶包装机系列

C20DX 袋泡茶尼龙三角包包装机 AUTOMATIC PYRAMID TEA BAG PACKING MACHINE WITH 2 HEAD WEIGHER

所属系列:	袋泡茶包装机
产品型号:	C20DX
产品名称:	袋泡茶尼龙三角包包装机
适用范围:	适用于茶叶、药茶、保健茶等小颗粒物的内外袋一次性包装。
本机特点:	尼龙三角包采用日本进口的环保尼龙、无纺布材质,是经过国家安全检验的无毒、无细菌、耐热的高质感食品级滤材,它的封口采用了独特的方法——超声波无痕封口,紧密、卫生、安全,减少了多余的封边宽度,完全不浪费一丝滤材。
包装材料:	日本进口尼龙、无纺布、绿色100%可降解的透明材料、PET、PLA。
主要技术参数	
包装容量:	1-10克/袋, 误差 $\leq \pm 0.1$ 克/袋
卷材的宽度:	140、160、180 (mm)
调节范围长度:	50、60、70、80 (mm)
封切形式:	电脉冲封切法——超声波融切热封
封切装置数量:	2套
包装速度:	30-50袋/分钟
电源:	220V, 50HZ, 1.2KW
气源:	压力 ≥ 0.6 Mpa (另可以配气泵供气)
整机重量:	400KG
外形尺寸:	1800*900*2300mm(长*宽*高)



Type:	Tea Bag Packing Machine Series
Product model:	C20DX
Product name:	Automatic Pyramid Tea Bag Packing Machine with 2 Head Weigher
Purpose:	It is suitable for packing product such as loose leaf tea, herbal tea, health care tea, TieGuanYin, LongJing, DaMaoFeng, DaHongPao, rose tea, Ginseng, etc.
Feature:	The packing material of the triangle bag machine is nylon, non-woven fabric material imported from Japan, which is non-toxic, no bacteria, heat-resistant high quality food grade material conforming to our national safety inspection standard. The machine uses a unique sealing method - ultrasonic. It can seal tightly, safely, reduce the width of the extra edge, avoiding any waste of packing material.
Packing Material:	Nylon material imported from Japan, Non-woven fabric, 100% biodegradable transparent material, PET, PLA.

Technical data

Filling range:	1-10g /bag, accuracy: $\leq \pm 0.1$ g /bag
Packing roll width:	140、160、180 (mm)
Sealing Length:	50、60、70、80 (mm)
Sealing method:	Sealing and cutting by ultrasonic
Quantity of sealing device:	2 sets
Packing speed:	30-50bags/min
Motor power:	220V .50HZ.1.2KW
Air supply:	≥ 0.6 Mpa(can be equipped with air compressor)
weight:	400KG
Dimension(L*W*H):	1800 * 900 * 2300 mm



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.

Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com



TEA PACKING MACHINE 茶叶包装机系列

C21DX 袋泡茶尼龙三角包内外袋包装机 AUTOMATIC PYRAMID TEA BAG PACKING MACHINE WITH OUTER ENVELOPE

所属系列:	袋泡茶包装机
产品型号:	C21-DX
产品名称:	袋泡茶尼龙三角包内外袋包装机
适用范围:	适用于茶叶、药茶、保健茶、铁观音、龙井、大毛峰、武夷山大红袍、玫瑰花茶、参片等产品的内外袋一次性包装。
本机特点:	尼龙三角包采用日本进口的环保尼龙、无纺布材质，是经过国家安全检验的无毒、无细菌、耐热的高质感食品级滤材，它的封口采用了独特的方法——超声波无痕封口，紧密、卫生、安全，减少了多余的封边宽度，完全不浪费一丝滤材。
包装材料:	日本进口尼龙、无纺布、绿色100%可降解的透明材料、PET、PLA。
主要技术参数	
包装容量:	1-10克/袋, 误差 $\leq \pm 0.1$ 克/袋
卷材的宽度:	140、160、180 (mm)
三角包调节范围长度:	50、60、70、80 (mm)
外袋包装规格:	宽: 80mm-100mm 长: 90mm-120mm
封切形式:	电脉冲封切法—超声波融切热封
封切装置数量:	2套
包装速度:	30-50袋/分钟
电源:	220V, 50HZ, 1.5KW
气源:	压力 > 0.6 Mpa(另可以配气泵供气)
整机重量:	500KG
外形尺寸:	3000*900*2300mm (长*宽*高)



Type:	Tea Bag Packing Machine Series
Product model:	C20-DX
Product name:	Automatic Pyramid Tea Bag Packing Machine with Outer Envelope
Purpose:	It is suitable for inner and outer bag packaging for products such as loose leaf tea, herbal tea, health care tea, TieGuanYin, LongJing, DaMaoFeng, DaHongPao, rose tea, ginseng, etc.
Feature:	The packing material of the triangle bag machine is nylon, non-woven fabric material imported from Japan, which is non-toxic, no bacteria, heat-resistant high quality food grade material conforming to our national safety inspection standard. The machine uses a unique sealing method - ultrasonic. It can seal tightly, safely, reduce the width of the extra edge, avoiding any waste of packing material.
PackingMaterial:	Nylon material imported from Japan, Non-woven fabric, 100% biodegradable transparent material, PET, PLA.

Technical data	
Filling range:	1-10 g /bag , accuracy: $\leq \pm 0.1$ g /bag
Packing roll width:	140、160、180(mm)
Sealing Length:	50、60、70、80(mm)
Outer bag size:	宽: 80mm-100mm 长: 90mm-120mm
Sealing method:	Sealing and cutting by ultrasonic
Quantity of sealing device:	2sets
Packing speed:	30-50bags/min
Motor power:	220V .50HZ.1.5 KW
Air supply:	≥ 0.6 Mpa(can be equipped with air compressor)
weight:	500KG
Dimension(L*W*H):	3000*900*2300 mm



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.

Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com

TEA PACKING MACHINE

茶叶包装机系列



D44K 多物料袋中袋包装机 MULTI-MATERIAL DOUBLE BAG PACKING MACHINE

所属系列:	多物料组合包装机
产品型号:	D44K
产品名称:	多物料袋中袋包装机
适用范围:	本机适用于茶叶、药茶、保健茶等小颗粒物及不规则物料的内外袋一次性包装。
本机特点:	本机是一种新型热封式，多功能全自动袋泡茶饮品包装设备。该机的主要特点是多种物料的自动组合、内外袋一次成型，避免了人手与物料的直接接触，提高效率。内袋为过滤棉纸，可自动带线带标签，外袋为复合纸。其最大的好处在于：贴标和外袋均可采用光电定位，包装容量、内袋、外袋、标签等均可任意调整，可根据用户的不同需要来调整内外袋尺寸，以便达到最理想的包装效果，提高产品外观档次，使产品价值提升。
包装材料:	纸/塑/塑/塑/铝/塑/纸/铝/塑、过滤棉纸、棉线、标签纸
主要技术参数	
包装容量:	3~15ml
包装速度:	40~60袋/分钟
标签尺寸:	长20~24mm；宽40~55mm
线 长:	155mm
内袋尺寸:	长50~70mm；宽40~80mm
外袋尺寸:	长70~120mm；宽60~90mm
电 源:	220V, 50HZ, 3.7KW
外型尺寸:	1250*700*1800mm(长*宽*高)
整机重量:	500KG

Type:	Multi Material Packing Machine Series
Product model:	D44K
Product name:	Multi-material double bag packing machine
Purpose:	The machine is suitable for the dual bag packing of small grain-like materials, such as tea leaves, medicinal tea and healthy teas and other material with irregular shape.
Feature:	This machine is an automatic multi-functional tea bag packaging equipment with a new heat sealing type. The inner and outer bag forming is finished at the same time, avoid direct contact with the packing material and improve working efficiency. Inner bag is made of filter paper with thread and tag attached, and outer bag is made of composite paper. The biggest advantage is: tag attaching and outer bag making can adopt photoelectric positioning. The packing capacity, inner bag and outer bag size can be easily adjusted according to different requirements in order to achieve the best packaging results, improve product appearance and enhance the value of the product.
Pack Material:	Paper/Plastic, Plastic/Plastic, Plastic/Aluminum/Plastic, Paper/Aluminum/Plastic, Tea filter paper, Thread, Tag paper.

Technical data

Measure:	3-15 ml
Capacity:	40-60 bag/min
Tag size:	L 20-24 mm W 40-55 mm
Thread length:	155 mm
Outer bag:	L 50-70mm W 40-80mm
Inner bag:	L 70-120mm W 60-90mm
Total power:	220V/50HZ/3.7KW
Dimension: (L*W*H)	1250*700*1800mm
Weight:	500KG



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.
Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com



TEA PACKING MACHINE 茶叶包装机系列

D64K 多物料单包包装机 MULTI-MATERIAL PACKING MACHINE

所属系列:	多物料组合包装机
产品型号:	D64K
产品名称:	多物料单包包装机
适用范围:	本机适用于食品等行业中较大包且不规则物料的包装,例如海蜇皮、肉松、紫菜等物料。
本机特点:	采用输送带送料,可自动完成制袋、充填、封合、商标定位、切断、计数,无极调速等功能。增加料盘装置,可对物料自动计量。
主要技术参数	
计量范围:	20-200ml
制袋尺寸:	长40-300mm;宽40-130mm
包装速度:	30-60袋/分钟(按物料不同会有适当偏差)
电 源:	220V, 50HZ, 1.9KW
整机重量:	450KG
外型尺寸:	1100*640*1600mm(长*宽*高)



Type:	Multi-material Packing Machine Series
Product model:	D64K
Product name:	Multi-material Packing Machine
Purpose:	It is suitable for big irregular package in food industry, such as sea blubber skin, dried meat floss, seaweed, and so on.
Feature:	Adopts conveyor feeding system. The machine can automatically perform bag making, filling, sealing, logo positioning, cutting, counting, endless speed adjustment, and so on. With options of volumetric cup filler, the machine can automatically measure products weight.

Technical data

Filling range:	20-200ml
Bag size:	L: 40-300mm; W: 40-130mm
Speed:	30-60 bags/min (Speed may be different with different materials)
Power:	220V, 50HZ, 1.9KW
Weight:	450KG
Dimension (L*W*H):	1100*640*1600mm



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.
Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com

TEA PACKING MACHINE 茶叶包装机系列



T60DX 电子秤称重电脑控制背封全自动包装机 FULLY AUTOMATIC BACK SEAL PACKING MACHINE (COMPUTER CONTROL)

所属系列:	通用包装机
产品型号:	T60DX
产品名称:	电脑控制背封全自动包装机
适合范围:	茶叶、膨化食品、虾条、花生、麦片、味精、瓜子、白糖、食盐及不易粘附粉状物、颗粒等包装。
本机特点:	可自动完成计量、填充、计数、打印(需另配打码机)等周期作业;集光电跟踪、无极调速等功能于一体;封口形式为背封。
主要技术参数	
计量范围:	5-50克(注:50-200/100-500克需订做)
制袋尺寸:	长50-200mm;宽50-240mm
包装速度:	30-50袋/分钟
电 源:	220V, 50HZ, 1.8KW
整机重量:	350KG
外型尺寸:	650*900*1700mm(长*宽*高)

Type:	General Packing Machine Series
Product model:	T60DX
Product name:	Fully Automatic Back Seal Packing Machine (Computer Control)
Purpose:	It is suitable for packing product such as Teas, puffed food products, prawn cracker, peanut, popcorn, oatmeal, MSG, melon seeds, sugar, salt, granules, free flowing powder, etc.
Feature:	The entire procedure from weighing, bag forming, filling, sealing, cutting, counting and printing (with option of date code printer) can be fully automatically operated. Adopts photoelectric tracking and stepless speed adjustment device. It can perform pillow type packaging.

Technical data	
Filling Range:	5-50g (50-200/100-500g can be customized)
Bag Size:	L: 50-200mm , W: 50-240mm
Speed:	30-50 bag/min
Power:	220V, 50HZ, 1.8KW
Weight:	350KG
Dimension (L*W*H):	650*900*1700mm



XIAMEN SENGONG PACKING EQUIPMENT CO., LTD

Add: No. 228, Tianfeng Road, North Industrial Zone, Jimei District, Xiamen, Fujian, China.

Tel: 0086-592-5523433 Fax: 0086-592-5523433 www.simplerpack.com




TEA PACKING MACHINE

茶叶包装机系列

T180 背封圆角封切包装机

Round edge pillow bag
packing machine

所属系列:	茶叶包装机
产品型号:	T180
产品名称:	背封圆角封切包装机
适用范围:	本机适用于红茶, 绿茶, 茉莉花茶, 黑茶, 白茶等茶叶的提取物颗粒物料背封圆角封切包装机。
本机特点:	1、本机可以采用多种下料结构, 可以包装粉末, 颗粒、液体物料。 2、可以自动完成制袋、充填、封合、切断、计数的包装机。 3、采用伺服热封拉袋保证产品更加美观。 4、与物料接触部分采用不锈钢304材质。
包装材料:	纸/塑, 塑/塑, 塑/铝/塑, 纸/铝/塑
主要技术参数	
包装容量:	1-100毫升 计量精度: $\pm 1\%$
包装速度:	40-50袋/分钟 (单列, 视包装袋长及物料情况)
包装形式:	背封
包装膜宽:	$\leq 180\text{mm}$ (随机配1套成形器, 最大膜宽可做到180mm)
制袋能力:	$15\text{mm} \leq W \leq 85\text{mm} \times \leq 30\text{mm} \leq L \leq 150\text{mm}$
工作电压:	220V/50HZ 单相 1.5KW
气源电压:	6Kg 耗气量: $0.3 \text{ m}^3/\text{min}$
包装膜:	复合包装物料
整机重量:	450KG



Type:	Tea packing machine
Product model:	T180
Product name:	Round edge pillow bag packing machine
Purpose:	It is suitable for round edge pillow bag packing for many products such as black tea, green tea, jasmine tea, white tea in granular shape.
Feature:	1, The machine can be used with a variety of filling system for powder, granule and liquid products packaging. 2, Bag making, filling, sealing, cutting, counting can be done automatically. 3, Film pulling and heat sealing is controlled by servo motor, which ensures perfect bag package. 4, Machine parts in direct contact with products to be packed are made of SUS304 stainless steel.
Pack Material:	paper / plastic, plastic / plastic, plastic / aluminum / plastic, paper / aluminum / plastic

Technical data

Filling range:	1-100ml	Accuracy:	$\pm 1\%$
Packing speed:	40-50 bags/min (single lane, depending on the bag length and products conditions)		
Bag type:	Center sealing, pillow bag		
Film width:	$\leq 180\text{mm}$ (one piece of bag former will be provided together with the machine)		
Bag size:	$L*W = 30\text{mm} \sim 150\text{mm} * 15\text{mm} \sim 85\text{mm}$		
Power:	single phase, 220V / 50HZ / 1.5KW		
Air pressure:	6Kg	Air consumption:	$0.3 \text{ m}^3/\text{min}$
Packaging film:	Composite packaging materials		
Weight:	450KG		